arXiv:0905.4672v2 [hep-ph] 3 Jul 2009

$\{Q\bar{s}\}\{\bar{Q}^{(')}s\}$ molecular states in QCD sum rules

Jian-Rong Zhang and Ming-Qiu Huang
Department of Physics, National University of Defense Technology, Hunan 410073, China

We investigate the mass spectra of $\{Q\bar{s}\}\{\bar{Q}^{(')}s\}$ molecular states in the framework of QCD sum rules. The interpolating currents representing the molecular states are proposed. Technically, contributions of the operators up to dimension six are included in operator product expansion (OPE). The masses for various molecular states with $\{Q\bar{s}\}\{\bar{Q}^{(')}s\}$ configurations are presented.

PACS numbers: 11.55.Hx, 12.38.Lg, 12.39.Mk

I. INTRODUCTION

The field of heavy hadron spectroscopy is experiencing a rapid advancement mainly propelled by the continuous observations of hadronic resonances, for example, $X(3872)$ [1], $Y(3930)$ [2], $Y(4260)$ [3], $Z(3930)$ [4], $X(3940)$ [5], $Z^+(4430)$ [6], $Z_1^+(4050)$ [7], $Z_2^+(4250)$ [7], $Y(4140)$ [8] etc. (for experimental reviews, e.g., see [9, 10]), some of which are not easy to accommodate within the quark model picture and may not be conventional charmonium states. Masses for some of these hadrons are very close to the meson-meson thresholds, for which are interpreted as possible mesonic molecule candidates in [11, 12, 13, 14]. Furthermore, QCD itself does not exclude the existence of molecular states besides conventional mesons and baryons, so studies of molecular states may deepen one's understanding of the strong interaction. On all accounts, it is interesting to investigate mass spectra for the molecular states. However, it is far from clear how to generate hadron masses from first principles in QCD since it is highly noperturbative in the low energy region where futile to attempt perturbative calculations, and then one has to treat a genuinely strong field in nonperturbative methods. Under such a circumstance, one could resort to QCD sum rule [15] (for reviews see [16, 17, 18, 19] and references therein), which is a comprehensive and reliable way for evaluating the nonperturbative effects. The QCD sum rule approach devotes to bridge the gap between the perturbative and nonperturbative sectors by employing the language of dispersion relations. By far, there have been several papers testing some $\{Q\bar{s}\}\{\bar{Q}^{(')}s\}$ states from QCD sum rules, such as works on $D_s^*\bar{D}_s^*$ in [20] and [21], as well as the one on $(Q\bar{s})^{(*)}(\bar{Q}s)^{(*)}$ molecular states [22]. Presently, we would like to obtain the spectra for $\{Q\bar{s}\}\{\bar{Q}^{(')}s\}$ molecular states via QCD sum rules.

The paper is organized as follows. In Sec. II, QCD sum rules for the molecular states are introduced, and both the phenomenological representation and QCD side are derived, followed by the numerical analysis to extract the hadronic masses and a brief summary in Sec. III.

II. MOLECULAR STATE QCD SUM RULES

The QCD sum rule attempts to link the hadron phenomenology with the interactions of quarks and gluons, which contains three main ingredients: an approximate description of the correlator in terms of intermediate states through the dispersion relation, a description of the same correlator in terms of QCD degrees of freedom via an OPE, and a procedure for matching these two descriptions and extracting the parameters that characterize the hadronic state of interest.

A. interpolating currents

Following the standard scheme [10], the $Q\bar{s}$ mesons with $J^P=0^-,\ 1^-,\ 0^+,$ and 1^+ are named D_s, D_s^*, D_{s0}^*, and D_{s1} for charmed mesons, with B_s, B_s^*, B_{s0}^*, and B_{s1} for bottom mesons, respectively. In this work, the corresponding configurations for these mesons are represented as $(Q\bar{s})$, $(Q\bar{s})^*$, $(Q\bar{s})^*_0$, and $(Q\bar{s})_1$. In full theory, the interpolating currents for these mesons can be found in Refs. [23, 24]. Consequently, the interpolating currents for the related molecular states are constructed in following forms, with

$$\begin{aligned}
j_{(Q\bar{s})(\bar{Q}'s)} &= (\bar{s}_a i\gamma_5 Q_a)(\bar{Q'}_b i\gamma_5 s_b),\\
j_{(Q\bar{s})^*(\bar{Q}'s)^*} &= (\bar{s}_a \gamma_\mu Q_a)(\bar{Q'}_b \gamma^\mu s_b),\\
j_{(Q\bar{s})^*_0(\bar{Q}'s)^*_0} &= (\bar{s}_a Q_a)(\bar{Q'}_b s_b),\\
j_{(Q\bar{s})_1(\bar{Q}'s)_1} &= (\bar{s}_a \gamma_\mu\gamma_5 Q_a)(\bar{Q'}_b \gamma^\mu\gamma_5 s_b),\\
j_{(Q\bar{s})(\bar{Q}'s)^*_0} &= (\bar{s}_a i\gamma_5 Q_a)(\bar{Q'}_b s_b),\\
j_{(Q\bar{s})^*(\bar{Q}'s)_1} &= (\bar{s}_a \gamma_\mu Q_a)(\bar{Q'}_b \gamma^\mu\gamma_5 s_b),
\end{aligned}$$

for one type of hadrons, and

$$\begin{aligned}
j^\mu_{(Q\bar{s})^*(\bar{Q}'s)} &= (\bar{s}_a \gamma^\mu Q_a)(\bar{Q'}_b i\gamma_5 s_b),\\
j^\mu_{(Q\bar{s})_1(\bar{Q}'s)} &= (\bar{s}_a \gamma^\mu\gamma_5 Q_a)(\bar{Q'}_b i\gamma_5 s_b),\\
j^\mu_{(Q\bar{s})^*(\bar{Q}'s)^*_0} &= (\bar{s}_a \gamma^\mu Q_a)(\bar{Q'}_b s_b),\\
j^\mu_{(Q\bar{s})_1(\bar{Q}'s)^*_0} &= (\bar{s}_a \gamma^\mu\gamma_5 Q_a)(\bar{Q'}_b s_b),
\end{aligned}$$

for another type, where Q and Q' denote heavy quarks ($Q = Q'$ or $Q \neq Q'$), with a and b are color indices.

B. the molecular state QCD sum rule

For the former case, the starting point is the two-point correlator

$$\Pi(q^2) = i\int d^4x e^{iq.x}\langle 0|T[j(x)j^+(0)]|0\rangle. \tag{1}$$

The correlator can be phenomenologically expressed as a dispersion integral over a physical spectral function

$$\Pi(q^2) = \frac{\lambda_H^2}{M_H^2 - q^2} + \frac{1}{\pi}\int_{s_0}^{\infty} ds \frac{\mathrm{Im}\Pi^{\mathrm{phen}}(s)}{s - q^2} + \mathrm{subtractions}, \tag{2}$$

where M_H denotes the mass of the hadronic resonance, and λ_H gives the coupling of the current to the hadron $\langle 0|j|H\rangle = \lambda_H$. In the OPE side, the correlator can be written in terms of a dispersion relation as

$$\Pi(q^2) = \int_{(m_Q+m_{Q'}+2m_s)^2}^{\infty} ds \frac{\rho^{\mathrm{OPE}}(s)}{s - q^2} \quad (m_Q = m_{Q'} \text{ or } m_Q \neq m_{Q'}), \tag{3}$$

where the spectral density is given by the imaginary part of the correlator

$$\rho^{\mathrm{OPE}}(s) = \frac{1}{\pi}\mathrm{Im}\Pi^{\mathrm{OPE}}(s). \tag{4}$$

After equating the two sides, assuming quark-hadron duality, and making a Borel transform, the sum rule can be written as

$$\lambda_H^2 e^{-M_H^2/M^2} = \int_{(m_Q+m_{Q'}+2m_s)^2}^{s_0} ds \rho^{\mathrm{OPE}}(s) e^{-s/M^2}. \tag{5}$$

To eliminate the hadronic coupling constant λ_H, one reckons the ratio of derivative of the sum rule and itself, and then yields

$$M_H^2 = \int_{(m_Q+m_{Q'}+2m_s)^2}^{s_0} ds \rho^{\mathrm{OPE}} s e^{-s/M^2} \Big/ \int_{(m_Q+m_{Q'}+2m_s)^2}^{s_0} ds \rho^{\mathrm{OPE}} e^{-s/M^2}. \tag{6}$$

For the latter case, one starts from the two-point correlator

$$\Pi^{\mu\nu}(q^2) = i\int d^4x e^{iq.x}\langle 0|T[j^{\mu}(x)j^{\nu+}(0)]|0\rangle. \tag{7}$$

Lorentz covariance implies that the two-point correlation function can be generally parameterized as

$$\Pi^{\mu\nu}(q^2) = (\frac{q^\mu q^\nu}{q^2} - g^{\mu\nu})\Pi^{(1)}(q^2) + \frac{q^\mu q^\nu}{q^2}\Pi^{(0)}(q^2). \tag{8}$$

The part of the correlator proportional to $g_{\mu\nu}$ will be chosen to extract the mass sum rule here. In phenomenology, $\Pi^{(1)}(q^2)$ can be expressed as a dispersion integral over a physical spectral function

$$\Pi^{(1)}(q^2) = \frac{[\lambda^{(1)}]^2}{M_H^2 - q^2} + \frac{1}{\pi}\int_{s_0}^{\infty} ds \frac{\mathrm{Im}\Pi^{(1)\mathrm{phen}}(s)}{s - q^2} + \text{subtractions}, \tag{9}$$

where M_H denotes the mass of the hadronic resonance. In the OPE side, $\Pi^{(1)}(q^2)$ can be written in terms of a dispersion relation as

$$\Pi^{(1)}(q^2) = \int_{(m_Q+m_{Q'}+2m_s)^2}^{\infty} ds \frac{\rho^{\mathrm{OPE}}(s)}{s - q^2} \quad (m_Q = m_{Q'} \text{ or } m_Q \neq m_{Q'}), \tag{10}$$

where the spectral density is given by

$$\rho^{\mathrm{OPE}}(s) = \frac{1}{\pi}\mathrm{Im}\Pi^{(1)}(s). \tag{11}$$

After equating the two sides, assuming quark-hadron duality, and making a Borel transform, the sum rule can be written as

$$[\lambda^{(1)}]^2 e^{-M_H^2/M^2} \;=\; \int_{(m_Q+m_{Q'}+2m_s)^2}^{s_0} ds\rho^{\mathrm{OPE}}(s)e^{-s/M^2}. \tag{12}$$

To eliminate the hadronic coupling constant $\lambda^{(1)}$, one reckons the ratio of derivative of the sum rule and itself, and then yields

$$M_H^2 \;=\; \int_{(m_Q+m_{Q'}+2m_s)^2}^{s_0} ds\rho^{\mathrm{OPE}} s e^{-s/M^2} \Big/ \int_{(m_Q+m_{Q'}+2m_s)^2}^{s_0} ds\rho^{\mathrm{OPE}} e^{-s/M^2}. \tag{13}$$

C. spectral densities

Calculating the OPE side, one works at leading order in α_s and considers condensates up to dimension six, utilizing the similar techniques in Refs. [25, 26]. The s quark is dealt as a light one and the diagrams are considered up to order m_s^2. To keep the heavy-quark mass finite, one uses the momentum-space expression for the heavy-quark propagator. One calculates the light-quark part of the correlation function in the coordinate space, which is then Fourier-transformed to the momentum space in D dimension. The resulting light-quark part is combined with the heavy-quark part before it is dimensionally regularized at $D = 4$. For the heavy-quark propagator with two and three gluons attached, the momentum-space expressions given in Ref. [23] are used. In order to improve on the accuracy of QCD sum rule analysis for molecular states, the m_s^2 order and $\langle g^3G^3\rangle$ contributions are included in OPE side. After some tedious OPE calculations, the concrete forms of spectral densities can be derived, which are collected in the Appendix. The spectral densities for $(Q\bar{s})^{(*)}(\bar{Q}s)^{(*)}$ ($Q = c$ or b) states have been gained in our previous work [22], which will not be included here.

III. NUMERICAL ANALYSIS

In this part, the sum rules (6) and (13) will be numerically analyzed. The input values are taken as $m_c = 1.23$ GeV, $m_b = 4.20$ GeV, $m_s = 0.13$ GeV, $\langle \bar{q}q \rangle = -(0.23)^3$ GeV^3, $\langle \bar{s}s \rangle = 0.8 \ \langle \bar{q}q \rangle$, $\langle g\bar{s}\sigma \cdot Gs \rangle = m_0^2 \ \langle \bar{s}s \rangle$, $m_0^2 = 0.8$ GeV^2, $\langle g^2 G^2 \rangle = 0.88$ GeV^4, and $\langle g^3 G^3 \rangle = 0.045$ GeV^6. Complying with the standard procedure of sum rule analysis, the threshold s_0 and Borel parameter M^2 are varied to find the optimal stability window, in which the perturbative contribution should be larger than the condensate contributions while the pole contribution larger than continuum contribution. Thus, the regions of thresholds are taken as those values presented in the related figure captions, with $M^2 = 3.5 \sim 4.5$ GeV^2 for $D_{s0}^*\bar{D}_{s0}^*$, $D_{s1}\bar{D}_{s0}^*$, $D_{s1}\bar{D}_{s1}$, $D_s\bar{D}_{s0}^*$, $D_{s1}\bar{D}_s$, $D_s^*\bar{D}_{s0}^*$, and $D_s^*\bar{D}_{s1}$, $M^2 = 7.5 \sim 9.0$ GeV^2 for $B_s\bar{D}_s$, $B_s^*\bar{D}_s$, $B_s^*\bar{D}_s^*$, $B_{s0}^*\bar{D}_{s0}^*$, $B_{s1}\bar{D}_{s0}^*$, $B_{s1}\bar{D}_{s1}$, $B_s\bar{D}_{s0}^*$, $B_{s1}\bar{D}_s$, $B_s^*\bar{D}_{s0}^*$, $B_s^*\bar{D}_{s1}$, $D_s^*\bar{B}_s$, $D_{s1}\bar{B}_{s0}^*$, $D_s\bar{B}_{s0}^*$, $D_{s1}\bar{B}_s$, $D_s^*\bar{B}_{s0}^*$, and $D_s^*\bar{B}_{s1}$, and $M^2 = 9.5 \sim 11.0$ GeV^2 for $B_{s0}^*\bar{B}_{s0}^*$, $B_{s1}\bar{B}_{s0}^*$, $B_{s1}\bar{B}_{s1}$, $B_s\bar{B}_{s0}^*$, $B_{s1}\bar{B}_s$, $B_s^*\bar{B}_{s0}^*$, and $B_s^*\bar{B}_{s1}$, respectively. The corresponding Borel curves are exhibited in Figs. 1-15. Note that masses for $D_s\bar{D}_s$, $D_s^*\bar{D}_s$, $D_s^*\bar{D}_s^*$, $B_s\bar{B}_s$, $B_s^*\bar{B}_s$, and $B_s^*\bar{B}_s^*$ molecular states have been analyzed in our work [22], which will not be iterated here, while the numerical results are all collected in Tables I-II for completeness. It is worth noting that uncertainty in our results are merely owing to the sum rule windows (variation of the threshold s_0 and Borel parameter M^2), not involving the ones from the variation of quark masses and QCD parameters.

In summary, QCD sum rules have been employed to compute the masses of molecular states, including the contributions of operators up to dimension six in OPE. Ultimately, we have arrived at masses for various molecular states with $\{Q\bar{s}\}\{\bar{Q}^{(\prime)}s\}$ configurations. All in all, the numerical results are looking forward to further experimental identification.

TABLE I: The mass spectra of molecular states with same heavy quarks.

Hadron	configuration	mass (GeV)	Hadron	configuration	mass (GeV)
$D_s\bar{D}_s$	$(c\bar{s})(\bar{c}s)$	3.91 ± 0.10 [22]	$B_s\bar{B}_s$	$(b\bar{s})(\bar{b}s)$	10.70 ± 0.10 [22]
$D_s^*\bar{D}_s$	$(c\bar{s})^*(\bar{c}s)$	4.01 ± 0.10 [22]	$B_s^*\bar{B}_s$	$(b\bar{s})^*(\bar{b}s)$	10.71 ± 0.11 [22]
$D_s^*\bar{D}_s^*$	$(c\bar{s})^*(\bar{c}s)^*$	4.13 ± 0.10 [22]	$B_s^*\bar{B}_s^*$	$(b\bar{s})^*(\bar{b}s)^*$	10.80 ± 0.10 [22]
$D_{s0}^*\bar{D}_{s0}^*$	$(c\bar{s})_0^*(\bar{c}s)_0^*$	4.58 ± 0.10	$B_{s0}^*\bar{B}_{s0}^*$	$(b\bar{s})_0^*(\bar{b}s)_0^*$	11.35 ± 0.09
$D_{s1}\bar{D}_{s0}^*$	$(c\bar{s})_1(\bar{c}s)_0^*$	4.64 ± 0.10	$B_{s1}\bar{B}_{s0}^*$	$(b\bar{s})_1(\bar{b}s)_0^*$	11.38 ± 0.09
$D_{s1}\bar{D}_{s1}$	$(c\bar{s})_1(\bar{c}s)_1$	4.66 ± 0.12	$B_{s1}\bar{B}_{s1}$	$(b\bar{s})_1(\bar{b}s)_1$	11.39 ± 0.13
$D_s\bar{D}_{s0}^*$	$(c\bar{s})(\bar{c}s)_0^*$	4.24 ± 0.08	$B_s\bar{B}_{s0}^*$	$(b\bar{s})(\bar{b}s)_0^*$	11.06 ± 0.10
$D_{s1}\bar{D}_s$	$(c\bar{s})_1(\bar{c}s)$	4.37 ± 0.08	$B_{s1}\bar{B}_s$	$(b\bar{s})_1(\bar{b}s)$	11.10 ± 0.10
$D_s^*\bar{D}_{s0}^*$	$(c\bar{s})^*(\bar{c}s)_0^*$	4.36 ± 0.08	$B_s^*\bar{B}_{s0}^*$	$(b\bar{s})^*(\bar{b}s)_0^*$	11.09 ± 0.10
$D_s^*\bar{D}_{s1}$	$(c\bar{s})^*(\bar{c}s)_1$	4.43 ± 0.09	$B_s^*\bar{B}_{s1}$	$(b\bar{s})^*(\bar{b}s)_1$	11.10 ± 0.10

TABLE II: The mass spectra of molecular states with differently heavy quarks.

Hadron	configuration	mass (GeV)	Hadron	configuration	mass (GeV)
$B_s\bar{D}_s$	$(b\bar{s})(\bar{c}s)$	7.31 ± 0.09	$B_s^*\bar{D}_{s0}^*$	$(b\bar{s})^*(\bar{c}s)_0^*$	7.71 ± 0.07
$B_s^*\bar{D}_s$	$(b\bar{s})^*(\bar{c}s)$	7.37 ± 0.09	$B_s^*\bar{D}_{s1}$	$(b\bar{s})^*(\bar{c}s)_1$	7.78 ± 0.08
$B_s^*\bar{D}_s^*$	$(b\bar{s})^*(\bar{c}s)^*$	7.46 ± 0.09	$D_s^*\bar{B}_s$	$(c\bar{s})^*(\bar{b}s)$	7.30 ± 0.09
$B_{s0}^*\bar{D}_{s0}^*$	$(b\bar{s})_0^*(\bar{c}s)_0^*$	8.07 ± 0.09	$D_{s1}\bar{B}_{s0}^*$	$(c\bar{s})_1(\bar{b}s)_0^*$	8.07 ± 0.09
$B_{s1}\bar{D}_{s0}^*$	$(b\bar{s})_1(\bar{c}s)_0^*$	8.14 ± 0.09	$D_s\bar{B}_{s0}^*$	$(c\bar{s})(\bar{b}s)_0^*$	7.73 ± 0.07
$B_{s1}\bar{D}_{s1}$	$(b\bar{s})_1(\bar{c}s)_1$	8.17 ± 0.11	$D_{s1}\bar{B}_s$	$(c\bar{s})_1(\bar{b}s)$	7.78 ± 0.08
$B_s\bar{D}_{s0}^*$	$(b\bar{s})(\bar{c}s)_0^*$	7.65 ± 0.07	$D_s^*\bar{B}_{s0}^*$	$(c\bar{s})^*(\bar{b}s)_0^*$	7.79 ± 0.08
$B_{s1}\bar{D}_s$	$(b\bar{s})_1(\bar{c}s)$	7.80 ± 0.08	$D_s^*\bar{B}_{s1}$	$(c\bar{s})^*(\bar{b}s)_1$	7.86 ± 0.08



FIG. 1: The dependence on M^2 for the masses of $D_{s0}^*\bar{D}_{s0}^*$ and $B_{s0}^*\bar{B}_{s0}^*$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 5.0 \sim 5.2$ GeV and $\sqrt{s_0} = 11.8 \sim 12.0$ GeV, respectively.



FIG. 2: The dependence on M^2 for the masses of $D_{s1}\bar{D}_{s1}$ and $B_{s1}\bar{B}_{s1}$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 5.3 \sim 5.5$ GeV and $\sqrt{s_0} = 12.2 \sim 12.4$ GeV, respectively.



FIG. 3: The dependence on M^2 for the masses of $D_{s1}\bar{D}_{s0}^*$ and $B_{s1}\bar{B}_{s0}^*$ from sum rule (13). The continuum thresholds are taken as $\sqrt{s_0} = 5.1 \sim 5.3$ GeV and $\sqrt{s_0} = 11.9 \sim 12.1$ GeV, respectively.



FIG. 4: The dependence on M^2 for the masses of $D_s\bar{D}_{s0}^*$ and $B_s\bar{B}_{s0}^*$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 4.6 \sim 4.8$ GeV and $\sqrt{s_0} = 11.5 \sim 11.7$ GeV, respectively.



FIG. 5: The dependence on M^2 for the masses of $D_{s1}\bar{D}_s$ and $B_{s1}\bar{B}_s$ from sum rule (13). The continuum thresholds are taken as $\sqrt{s_0} = 4.8 \sim 5.0$ GeV and $\sqrt{s_0} = 11.6 \sim 11.8$ GeV, respectively.



FIG. 6: The dependence on M^2 for the masses of $D_s^*\bar{D}_{s0}^*$ and $B_s^*\bar{B}_{s0}^*$ from sum rule (13). The continuum thresholds are taken as $\sqrt{s_0} = 4.8 \sim 5.0$ GeV and $\sqrt{s_0} = 11.6 \sim 11.8$ GeV, respectively.



FIG. 7: The dependence on M^2 for the masses of $D_s^*\bar{D}_{s1}$ and $B_s^*\bar{B}_{s1}$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 4.9 \sim 5.1$ GeV and $\sqrt{s_0} = 11.6 \sim 11.8$ GeV, respectively.



FIG. 8: The dependence on M^2 for the masses of $B_s\bar{D}_s$ and $B_s^*\bar{D}_s^*$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 7.7 \sim 7.9$ GeV and $\sqrt{s_0} = 7.9 \sim 8.1$ GeV, respectively.



FIG. 9: The dependence on M^2 for the masses of $B_{s0}^*\bar{D}_{s0}^*$ and $B_{s1}\bar{D}_{s1}$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 8.5 \sim 8.7$ GeV and $\sqrt{s_0} = 8.8 \sim 9.0$ GeV, respectively.



FIG. 10: The dependence on M^2 for the masses of $D_s^*\bar{B}_s$ and $B_s^*\bar{D}_s$ from sum rule (13). The continuum thresholds are taken as $\sqrt{s_0} = 7.7 \sim 7.9$ GeV and $\sqrt{s_0} = 7.8 \sim 8.0$ GeV, respectively.



FIG. 11: The dependence on M^2 for the masses of $D_{s1}\bar{B}_{s0}^*$ and $B_{s1}\bar{D}_{s0}^*$ from sum rule (13). The continuum thresholds are taken as $\sqrt{s_0} = 8.5 \sim 8.7$ GeV and $\sqrt{s_0} = 8.6 \sim 8.8$ GeV, respectively.



FIG. 12: The dependence on M^2 for the masses of $D_s^*\bar{B}_{s0}^*$ and $B_s^*\bar{D}_{s0}^*$ from sum rule (13). The continuum thresholds are taken as $\sqrt{s_0} = 8.2 \sim 8.4$ GeV and $\sqrt{s_0} = 8.1 \sim 8.3$ GeV, respectively.



FIG. 13: The dependence on M^2 for the masses of $D_s^*\bar{B}_{s1}$ and $B_s^*\bar{D}_{s1}$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 8.3 \sim 8.5$ GeV and $\sqrt{s_0} = 8.2 \sim 8.4$ GeV, respectively.



FIG. 14: The dependence on M^2 for the masses of $D_s\bar{B}_{s0}^*$ and $B_s\bar{D}_{s0}^*$ from sum rule (6). The continuum thresholds are taken as $\sqrt{s_0} = 8.1 \sim 8.3$ GeV and $\sqrt{s_0} = 8.0 \sim 8.2$ GeV, respectively.



FIG. 15: The dependence on M^2 for the masses of $D_{s1}\bar{B}_s$ and $B_{s1}\bar{D}_s$ from sum rule (13). The continuum thresholds are taken as $\sqrt{s_0} = 8.2 \sim 8.4$ GeV and $\sqrt{s_0} = 8.2 \sim 8.4$ GeV, respectively.

APPENDIX

The spectral densities are distinguished for two sorts of doubly heavy molecular states, namely, containing the same or differently heavy quarks. First, with

$$\rho^{\mathrm{OPE}}(s) = \rho^{\mathrm{pert}}(s) + \rho^{\langle\bar{s}s\rangle}(s) + \rho^{\langle\bar{s}s\rangle^2}(s) + \rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) + \rho^{\langle g^2G^2\rangle}(s) + \rho^{\langle g^3G^3\rangle}(s),$$

$$\rho^{\mathrm{pert}}(s) \;=\; \frac{3}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^4$$

$$
\begin{aligned}
&+\frac{3}{2^8\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^3\\
&+\frac{3^2}{2^9\pi^6}m_Q^2 m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\;& \frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[m_Q^2-\alpha(1-\alpha)s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q^2 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[m_Q^2-\alpha(1-\alpha)s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\;& \frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q^2\sqrt{1-4m_Q^2/s}\\
&+\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_s\sqrt{1-4m_Q^2/s}\\
&+\frac{3\langle\bar{s}s\rangle^2}{2^5\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\;& \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[m_Q^2-\alpha(1-\alpha)s]\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2m_Q^2-3\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q^2 m_s\sqrt{1-4m_Q^2/s}\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q m_s^2\sqrt{1-4m_Q^2/s},
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\;& \frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\
&+\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^3 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+\beta)(1-\alpha-\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2 m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\;& \frac{\langle g^3G^3\rangle}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\
&+\frac{\langle g^3G^3\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+6\beta)(1-\alpha-\beta),
\end{aligned}
$$

for $(Q\bar{s})^*_0(\bar{Q}s)^*_0$,

$$\rho^{\mathrm{OPE}}(s)=\rho^{\mathrm{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),$$

$$\begin{aligned}
\rho^{\mathrm{pert}}(s) &= \frac{3}{2^9\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^4 \\
&+\frac{3}{2^7\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^3 \\
&+\frac{3^2}{2^7\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2,
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) &= \frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]^2 \\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[m_Q^2-\alpha(1-\alpha)s]^2 \\
&+\frac{3\langle\bar{s}s\rangle}{2^3\pi^4}m_Q^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Qm_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[m_Q^2-\alpha(1-\alpha)s],
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) &= \frac{\langle\bar{s}s\rangle^2}{2^2\pi^2}m_Q^2\sqrt{1-4m_Q^2/s} \\
&+\frac{\langle\bar{s}s\rangle^2}{2^3\pi^2}m_Qm_s\sqrt{1-4m_Q^2/s} \\
&+\frac{3\langle\bar{s}s\rangle^2}{2^3\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^6\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[m_Q^2-\alpha(1-\alpha)s] \\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2m_Q^2-3\alpha(1-\alpha)s] \\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_Q^2m_s\sqrt{1-4m_Q^2/s} \\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^6\pi^4}m_Qm_s^2\sqrt{1-4m_Q^2/s},
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) &= \frac{\langle g^2G^2\rangle}{2^8\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&+\frac{3\langle g^2G^2\rangle}{2^9\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&+\frac{\langle g^2G^2\rangle}{2^9\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+\beta)(1-\alpha-\beta) \\
&+\frac{3\langle g^2G^2\rangle}{2^8\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) &= \frac{\langle g^3G^3\rangle}{2^{10}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&+\frac{\langle g^3G^3\rangle}{2^9\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&+\frac{\langle g^3G^3\rangle}{2^{11}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+6\beta)(1-\alpha-\beta),
\end{aligned}$$

for $(Q\bar{s})_1(\bar{Q}s)_1$,

$$\rho^{\rm OPE}(s)=-\{\rho^{\rm pert}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s)\},$$

$$\begin{aligned}
\rho^{\rm pert}(s) &= -\frac{3}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^4 \\
&-\frac{3}{2^{10}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(3+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^3 \\
&-\frac{3^2}{2^9\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2,
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) &= -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2 \\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]^2 \\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[m_Q^2-\alpha(1-\alpha)s]^2 \\
&-\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&-\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Qm_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[m_Q^2-\alpha(1-\alpha)s] \\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Qm_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s],
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) &= -\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q^2\sqrt{1-4m_Q^2/s} \\
&-\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_Qm_s\sqrt{1-4m_Q^2/s} \\
&-\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[m_Q^2-\alpha(1-\alpha)s] \\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[m_Q^2-2\alpha(1-\alpha)s]
\end{aligned}$$

$$
\begin{aligned}
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q^2 m_s\sqrt{1-4m_Q^2/s}\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^9\pi^4}m_Q m_s^2\sqrt{1-4m_Q^2/s},
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\; &-\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\
&-\frac{3\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(3+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^3 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+\beta)(1-\alpha-\beta)(3+\alpha+\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2 m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\; &-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+6\beta)(1-\alpha-\beta)(3+\alpha+\beta),
\end{aligned}
$$

for $(Q\bar{s})_1(\bar{Q}s)_0^*$,

$$
\rho^{\text{OPE}}(s)=\rho^{\text{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),
$$

$$
\begin{aligned}
\rho^{\text{pert}}(s) \;=\; &\frac{3}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^4\\
&-\frac{3^2}{2^9\pi^6}m_Q^2 m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\; &\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[m_Q^2-\alpha(1-\alpha)s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q^2 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\; &-\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q^2\sqrt{1-4m_Q^2/s}\\
&+\frac{3\langle\bar{s}s\rangle^2}{2^5\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\; &\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2m_Q^2-3\alpha(1-\alpha)s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q^2 m_s\sqrt{1-4m_Q^2/s},
\end{aligned}
$$

$$\begin{aligned}\rho^{\langle g^2G^2\rangle}(s) &= \frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\ &\quad -\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta),\end{aligned}$$

$$\begin{aligned}\rho^{\langle g^3G^3\rangle}(s) &= \frac{\langle g^3G^3\rangle}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\ &\quad +\frac{\langle g^3G^3\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta),\end{aligned}$$

for $(Q\bar{s})(\bar{Q}s)_0^*$,

$$\rho^{\rm OPE}(s)=-\{\rho^{\rm pert}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s)\},$$

$$\begin{aligned}\rho^{\rm pert}(s) &= -\frac{3}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^4\\ &\quad -\frac{3}{2^{10}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)^2[(\alpha+\beta)m_Q^2-\alpha\beta s]^3\\ &\quad +\frac{3^2}{2^9\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2,\end{aligned}$$

$$\begin{aligned}\rho^{\langle\bar{s}s\rangle}(s) &= -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2\\ &\quad +\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]^2\\ &\quad -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[m_Q^2-\alpha(1-\alpha)s]^2\\ &\quad +\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]\\ &\quad -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Qm_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s],\end{aligned}$$

$$\begin{aligned}\rho^{\langle\bar{s}s\rangle^2}(s) &= \frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q^2\sqrt{1-4m_Q^2/s}\\ &\quad -\frac{\langle\bar{s}s\rangle^2}{2^6\pi^2}m_Qm_s\sqrt{1-4m_Q^2/s}\\ &\quad -\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),\end{aligned}$$

$$\begin{aligned}\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= -\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]\\ &\quad -\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[m_Q^2-2\alpha(1-\alpha)s]\\ &\quad +\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q^2m_s\sqrt{1-4m_Q^2/s}\\ &\quad -\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^9\pi^4}m_Qm_s^2\sqrt{1-4m_Q^2/s},\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) &= -\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&-\frac{3\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)^2[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^3 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+\beta)(1-\alpha-\beta)^2 \\
&+\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2 m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) &= -\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&-\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta) \\
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+6\beta)(1-\alpha-\beta)^2,
\end{aligned}$$

for $(Q\bar{s})_1(\bar{Q}s)$,

$$\rho^{\text{OPE}}(s)=-\{\rho^{\text{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s)\},$$

$$\begin{aligned}
\rho^{\text{pert}}(s) &= -\frac{3}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^4 \\
&+\frac{3}{2^{10}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)^2[(\alpha+\beta)m_Q^2-\alpha\beta s]^3 \\
&+\frac{3^2}{2^9\pi^6}m_Q^2 m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2,
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) &= \frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2 \\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s]^2 \\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[m_Q^2-\alpha(1-\alpha)s]^2 \\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q^2 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s],
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) &= \frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q^2\sqrt{1-4m_Q^2/s} \\
&+\frac{\langle\bar{s}s\rangle^2}{2^6\pi^2}m_Q m_s\sqrt{1-4m_Q^2/s} \\
&-\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&\quad -\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[m_Q^2-2\alpha(1-\alpha)s] \\
&\quad +\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q^2m_s\sqrt{1-4m_Q^2/s} \\
&\quad +\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^9\pi^4}m_Qm_s^2\sqrt{1-4m_Q^2/s},
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) &= -\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&\quad +\frac{3\langle g^2G^2\rangle}{2^{12}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)^2[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&\quad +\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+\beta)(1-\alpha-\beta)^2 \\
&\quad +\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) &= -\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s] \\
&\quad -\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta) \\
&\quad +\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(\alpha+6\beta)(1-\alpha-\beta)^2,
\end{aligned}$$

for $(Q\bar{s})^*(\bar{Q}s)_0^*$, and

$$\rho^{\mathrm{OPE}}(s)=\rho^{\mathrm{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),$$

$$\begin{aligned}
\rho^{\mathrm{pert}}(s) &= \frac{3}{2^9\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^4 \\
&\quad -\frac{3^2}{2^7\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]^2,
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) &= \frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[m_Q^2-\alpha(1-\alpha)s]^2 \\
&\quad -\frac{3\langle\bar{s}s\rangle}{2^3\pi^4}m_Q^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[(\alpha+\beta)m_Q^2-\alpha\beta s],
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) &= -\frac{\langle\bar{s}s\rangle^2}{2^2\pi^2}m_Q^2\sqrt{1-4m_Q^2/s} \\
&\quad +\frac{3\langle\bar{s}s\rangle^2}{2^3\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= \frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2m_Q^2-3\alpha(1-\alpha)s]\\ &\quad -\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_Q^2m_s\sqrt{1-4m_Q^2/s},\end{aligned}$$

$$\begin{aligned}\rho^{\langle g^2G^2\rangle}(s) &= \frac{\langle g^2G^2\rangle}{2^8\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\ &\quad -\frac{3\langle g^2G^2\rangle}{2^8\pi^6}m_Q^2m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta),\end{aligned}$$

$$\begin{aligned}\rho^{\langle g^3G^3\rangle}(s) &= \frac{\langle g^3G^3\rangle}{2^{10}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[(\alpha+\beta)m_Q^2-\alpha\beta s]\\ &\quad +\frac{\langle g^3G^3\rangle}{2^9\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta),\end{aligned}$$

for $(Q\bar{s})^*(\bar{Q}s)_1$. The integration limits are given by $\alpha_{min}=(1-\sqrt{1-4m_Q^2/s})/2$, $\alpha_{max}=(1+\sqrt{1-4m_Q^2/s})/2$, and $\beta_{min}=\alpha m_Q^2/(s\alpha-m_Q^2)$.

Second, with

$$\rho^{\text{OPE}}(s)=\rho^{\text{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),$$

$$\begin{aligned}\rho^{\text{pert}}(s) &= \frac{3}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\ &\quad -\frac{3}{2^9\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\ &\quad -\frac{3}{2^9\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\ &\quad +\frac{3^2}{2^9\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,\end{aligned}$$

$$\begin{aligned}\rho^{\langle\bar{s}s\rangle}(s) &= -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\ &\quad -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\ &\quad +\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\ &\quad +\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Qm_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\ &\quad -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Qm_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\ &\quad -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],\end{aligned}$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) &= \frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s \\
&- \frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}(m_Q+m_{Q'})m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s \\
&+ \frac{3\langle\bar{s}s\rangle^2}{2^5\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}} d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= -\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s] \\
&- \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s] \\
&+ \frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}} d\alpha[2\alpha m_Q^2+2(1-\alpha)m_{Q'}^2-3\alpha(1-\alpha)s] \\
&+ \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q m_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s \\
&- \frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}(m_Q+m_{Q'})m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) &= \frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+ \frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&- \frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&- \frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&- \frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&- \frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&- \frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'}^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&- \frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta) \\
&+ \frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&+ \frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) &= \frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+ \frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&+ \frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]
\end{aligned}
$$

$$
\begin{aligned}
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&-\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

for $(Q\bar{s})(\bar{Q}'s)$,

$$
\rho^{\rm OPE}(s)=-\{\rho^{\rm pert}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s)\},
$$

$$
\begin{aligned}
\rho^{\rm pert}(s) \;=\; &-\frac{3}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&+\frac{3}{2^{10}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3}{2^{9}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3^2}{2^{9}\pi^6}m_Q m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\; &\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}(\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\; &-\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_Q m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s
\end{aligned}
$$

$$
\begin{aligned}
&+\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha)\\
&-\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\; &-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-2\alpha(1-\alpha)s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Qm_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Qm_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\; &-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\; &-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)
\end{aligned}
$$

$$
\begin{aligned}
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta),
\end{aligned}
$$

for $(Q\bar{s})^*(\bar{Q}'s)$,

$$
\rho^{\mathrm{OPE}}(s)=\rho^{\mathrm{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),
$$

$$
\begin{aligned}
\rho^{\mathrm{pert}}(s) \;=\;& \frac{3}{2^9\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&-\frac{3}{2^8\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3}{2^8\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3^2}{2^7\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\;& -\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^3\pi^4}m_Qm_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Qm_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\;& \frac{\langle\bar{s}s\rangle^2}{2^2\pi^2}m_Qm_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&-\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}(m_Q+m_{Q'})m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{3\langle\bar{s}s\rangle^2}{2^3\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= -\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s] \\
&\quad -\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_{Q}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s] \\
&\quad +\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2\alpha m_Q^2+2(1-\alpha)m_{Q'}^2-3\alpha(1-\alpha)s] \\
&\quad +\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_Q m_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s \\
&\quad -\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}(m_Q+m_{Q'})m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) &= \frac{\langle g^2G^2\rangle}{2^9\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&\quad +\frac{\langle g^2G^2\rangle}{2^9\pi^6}m_{Q}^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&\quad -\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&\quad -\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&\quad -\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&\quad -\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&\quad -\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q}m_{Q'}^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&\quad -\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q}^2m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta) \\
&\quad +\frac{3\langle g^2G^2\rangle}{2^9\pi^6}m_{Q}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&\quad +\frac{3\langle g^2G^2\rangle}{2^9\pi^6}m_{Q}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) &= \frac{\langle g^3G^3\rangle}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&\quad +\frac{\langle g^3G^3\rangle}{2^{10}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&\quad +\frac{\langle g^3G^3\rangle}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&\quad +\frac{\langle g^3G^3\rangle}{2^{10}\pi^6}m_{Q}^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&\quad -\frac{3\langle g^3G^3\rangle}{2^{11}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&\quad -\frac{3\langle g^3G^3\rangle}{2^{11}\pi^6}m_{Q}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)
\end{aligned}
$$

$$
\begin{aligned}
&-\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

for $(Q\bar{s})^*(\bar{Q}'s)^*$,

$$
\rho^{\rm OPE}(s)=\rho^{\rm pert}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),
$$

$$
\begin{aligned}
\rho^{\rm pert}(s) \;=\;& \frac{3}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&+\frac{3}{2^9\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3}{2^9\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3^2}{2^9\pi^6}m_Q m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\;& \frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\;& \frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}(m_Q+m_{Q'})m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{3\langle\bar{s}s\rangle^2}{2^5\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\;& \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2\alpha m_Q^2+2(1-\alpha)m_{Q'}^2-3\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q m_{Q'} m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}(m_Q+m_{Q'})m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s,
\end{aligned}
$$

$$\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) &= \frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta) \\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) &= \frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&+\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&+\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&+\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&+\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&+\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}$$

for $(Q\bar{s})_0^*(\bar{Q}'s)_0^*$,

$$\rho^{\text{OPE}}(s)=\rho^{\text{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),$$

$$\rho^{\text{pert}}(s) = \frac{3}{2^9\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4$$

$$
\begin{aligned}
&+\frac{3}{2^8\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3}{2^8\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3^2}{2^7\pi^6}m_Q m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\;& \frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^3\pi^4}m_Q m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\;& \frac{\langle\bar{s}s\rangle^2}{2^2\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&+\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}(m_Q+m_{Q'})m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&+\frac{3\langle\bar{s}s\rangle^2}{2^3\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\;& \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2\alpha m_Q^2+2(1-\alpha)m_{Q'}^2-3\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_Q m_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}(m_Q+m_{Q'})m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\;& \frac{\langle g^2G^2\rangle}{2^9\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^9\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)
\end{aligned}
$$

$$
\begin{aligned}
&+\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&+\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Qm_{Q'}^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{9}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{9}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\; &\frac{\langle g^3G^3\rangle}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^3G^3\rangle}{2^{10}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^3G^3\rangle}{2^{10}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&+\frac{3\langle g^3G^3\rangle}{2^{11}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&+\frac{3\langle g^3G^3\rangle}{2^{11}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

for $(Q\bar{s})_1(\bar{Q}'s)_1$,

$$
\rho^{\rm OPE}(s)=-\{\rho^{\rm pert}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s)\},
$$

$$
\begin{aligned}
\rho^{\rm pert}(s) \;=\; &-\frac{3}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&-\frac{3}{2^{10}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3}{2^{9}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3^2}{2^{9}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\rho^{\langle\bar{s}s\rangle}(s) \;=\; -\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}(\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2
$$

$$\begin{aligned}
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\; &-\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&-\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_Q m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&-\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha)\\
&-\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\; &\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-2\alpha(1-\alpha)s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q m_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\; &-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)
\end{aligned}$$

$$
\begin{aligned}
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^3 m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'}^2 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2 m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\; &-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{3\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta),
\end{aligned}
$$

for $(Q\bar{s})_1(\bar{Q}'s)_0^*$,

$$
\rho^{\mathrm{OPE}}(s)=\rho^{\mathrm{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),
$$

$$
\begin{aligned}
\rho^{\mathrm{pert}}(s) \;=\; &\frac{3}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&+\frac{3}{2^9\pi^6}m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3}{2^9\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3^2}{2^9\pi^6}m_Q m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\rho^{\langle\bar{s}s\rangle}(s) \;=\; \frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2
$$

$$
\begin{aligned}
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\; &-\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&-\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}(m_Q-m_{Q'})m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&+\frac{3\langle\bar{s}s\rangle^2}{2^5\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\; &\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2\alpha m_Q^2+2(1-\alpha)m_{Q'}^2-3\alpha(1-\alpha)s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q m_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}(m_Q-m_{Q'})m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\; &\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'}^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^2m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)
\end{aligned}
$$

$$
\begin{aligned}
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\;& \frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&+\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&-\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

for $(Q\bar{s})(\bar{Q}'s)^*_0$,

$$
\rho^{\rm OPE}(s)=-\{\rho^{\rm pert}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s)\},
$$

$$
\begin{aligned}
\rho^{\rm pert}(s) \;=\;& -\frac{3}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&+\frac{3}{2^{10}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3}{2^{9}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3^2}{2^{9}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\;& \frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}(\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2
\end{aligned}
$$

$$\begin{aligned}
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\;& \frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&-\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_Q m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&+\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha)\\
&-\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\;& -\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-2\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q m_{Q'} m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2 s}/s\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\;& -\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^3 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^3 m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'}^2 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)
\end{aligned}$$

$$
\begin{aligned}
&+\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\; &-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta),
\end{aligned}
$$

for $(Q\bar{s})_1(\bar{Q}'s)$,

$$
\rho^{\mathrm{OPE}}(s)=-\{\rho^{\mathrm{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s)\},
$$

$$
\begin{aligned}
\rho^{\mathrm{pert}}(s) \;=\; &-\frac{3}{2^{12}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&-\frac{3}{2^{10}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3}{2^{9}\pi^6}m_Qm_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&+\frac{3^2}{2^{9}\pi^6}m_Qm_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\; &-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}(\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2
\end{aligned}
$$

$$\begin{aligned}
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_Q m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^7\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) \;=\;& \frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_Q m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&-\frac{\langle\bar{s}s\rangle^2}{2^5\pi^2}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha)\\
&-\frac{3\langle\bar{s}s\rangle^2}{2^6\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) \;=\;& \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}d\beta[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-2\alpha(1-\alpha)s]\\
&+\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q m_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_Q m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^8\pi^4}m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha(1-\alpha),
\end{aligned}$$

$$\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) \;=\;& -\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)
\end{aligned}$$

$$
\begin{aligned}
&+\frac{\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'}^2 m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{\langle g^2G^2\rangle}{2^{12}\pi^6}m_Q^2 m_{Q'} m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&+\frac{3\langle g^2G^2\rangle}{2^{11}\pi^6}m_Q m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) \;=\; &-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)(1+\alpha+\beta)\\
&-\frac{3\langle g^3G^3\rangle}{2^{13}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)(1+\alpha+\beta)\\
&+\frac{3\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&+\frac{\langle g^3G^3\rangle}{2^{13}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&-\frac{\langle g^3G^3\rangle}{2^{14}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)(1+\alpha+\beta),
\end{aligned}
$$

for $(Q\bar{s})^*(\bar{Q}'s)_0^*$, and

$$
\rho^{\text{OPE}}(s)=\rho^{\text{pert}}(s)+\rho^{\langle\bar{s}s\rangle}(s)+\rho^{\langle\bar{s}s\rangle^2}(s)+\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s)+\rho^{\langle g^2G^2\rangle}(s)+\rho^{\langle g^3G^3\rangle}(s),
$$

$$
\begin{aligned}
\rho^{\text{pert}}(s) \;=\; &\frac{3}{2^9\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^4\\
&+\frac{3}{2^8\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3}{2^8\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^3\\
&-\frac{3^2}{2^7\pi^6}m_Q m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle}(s) \;=\; &\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]^2
\end{aligned}
$$

$$
\begin{aligned}
&+\frac{3\langle\bar{s}s\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha(1-\alpha)}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]^2\\
&-\frac{3\langle\bar{s}s\rangle}{2^3\pi^4}m_Q m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta}[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&-\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_Q m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&+\frac{3\langle\bar{s}s\rangle}{2^6\pi^4}m_{Q'} m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s],
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle\bar{s}s\rangle^2}(s) &= -\frac{\langle\bar{s}s\rangle^2}{2^2\pi^2}m_Q m_{Q'}\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&\quad-\frac{\langle\bar{s}s\rangle^2}{2^4\pi^2}(m_Q-m_{Q'})m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&\quad+\frac{3\langle\bar{s}s\rangle^2}{2^3\pi^2}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha(1-\alpha),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g\bar{s}\sigma\cdot Gs\rangle}(s) &= \frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_{Q'}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&\quad-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}m_Q\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{1-\alpha}[\alpha m_Q^2+(1-\alpha)m_{Q'}^2-\alpha(1-\alpha)s]\\
&\quad+\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha[2\alpha m_Q^2+2(1-\alpha)m_{Q'}^2-3\alpha(1-\alpha)s]\\
&\quad-\frac{3\langle g\bar{s}\sigma\cdot Gs\rangle}{2^5\pi^4}m_Q m_{Q'}m_s\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s\\
&\quad-\frac{\langle g\bar{s}\sigma\cdot Gs\rangle}{2^7\pi^4}(m_Q-m_{Q'})m_s^2\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}/s,
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^2G^2\rangle}(s) &= \frac{\langle g^2G^2\rangle}{2^9\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&\quad+\frac{\langle g^2G^2\rangle}{2^9\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&\quad+\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&\quad+\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_{Q'}^3m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta)\\
&\quad-\frac{3\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s]\\
&\quad-\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^3m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)\\
&\quad-\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q m_{Q'}^2m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&\quad+\frac{\langle g^2G^2\rangle}{2^{10}\pi^6}m_Q^2 m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta)\\
&\quad-\frac{3\langle g^2G^2\rangle}{2^9\pi^6}m_Q m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)\\
&\quad-\frac{3\langle g^2G^2\rangle}{2^9\pi^6}m_Q m_{Q'}m_s^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

$$
\begin{aligned}
\rho^{\langle g^3G^3\rangle}(s) &= \frac{\langle g^3G^3\rangle}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+ \frac{\langle g^3G^3\rangle}{2^{10}\pi^6}m_{Q'}^2\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&+ \frac{\langle g^3G^3\rangle}{2^{11}\pi^6}\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta)[\alpha m_Q^2+\beta m_{Q'}^2-\alpha\beta s] \\
&+ \frac{\langle g^3G^3\rangle}{2^{10}\pi^6}m_Q^2\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&+ \frac{3\langle g^3G^3\rangle}{2^{11}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^3}\int_{\beta_{min}}^{1-\alpha}d\beta\beta(1-\alpha-\beta) \\
&- \frac{3\langle g^3G^3\rangle}{2^{11}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^3}(1-\alpha-\beta) \\
&- \frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_Q m_s\int_{\alpha_{min}}^{\alpha_{max}}\frac{d\alpha}{\alpha^2}\int_{\beta_{min}}^{1-\alpha}d\beta(1-\alpha-\beta) \\
&+ \frac{\langle g^3G^3\rangle}{2^{12}\pi^6}m_{Q'}m_s\int_{\alpha_{min}}^{\alpha_{max}}d\alpha\int_{\beta_{min}}^{1-\alpha}\frac{d\beta}{\beta^2}(1-\alpha-\beta),
\end{aligned}
$$

for $(Q\bar{s})^*(\bar{Q}'s)_1$. The integration limits are given by $\alpha_{min}=[s-m_Q^2+m_{Q'}^2-\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}]/(2s)$, $\alpha_{max}=[s-m_Q^2+m_{Q'}^2+\sqrt{(s-m_Q^2+m_{Q'}^2)^2-4m_{Q'}^2s}]/(2s)$, and $\beta_{min}=\alpha m_Q^2/(s\alpha-m_{Q'}^2)$.

ACKNOWLEDGMENTS

J. R. Zhang is very indebted to Ming Zhong for helpful discussions. This work was supported in part by the National Natural Science Foundation of China under Contract No.10675167.

[1] S. K. Choi *et al.*, (Belle Collaboration), Phys. Rev. Lett. **91**, 262001 (2003); V. M. Abazov *et al.*, (D0 Collaboration), Phys. Rev. Lett. **93**, 162002 (2004); D. Acosta *et al.*, (CDF Collaboration), Phys. Rev. Lett. **93**, 072001 (2004); B. Aubert *et al.*, (BaBar Collaboration), Phys. Rev. D **71**, 071103 (2005).

[2] S. K. Choi *et al.*, (Belle Collaboration), Phys. Rev. Lett. **94**, 182002 (2005); B. Aubert *et al.*, (BaBar Collaboration), Phys. Rev. Lett. **101**, 082001 (2008).

[3] B. Aubert *et al.*, (BaBar Collaboration), Phys. Rev. Lett. **95**, 142001 (2005); Q. He *et al.*, (CLEO Collaboration), Phys. Rev. D **74**, 091104(R) (2006); C. Z. Yuan *et al.*, (Belle Collaboration), Phys. Rev. Lett. **99**, 182004 (2007).

[4] S. Uehara *et al.*, (Belle Collaboration), Phys. Rev. Lett. **96**, 082003 (2006).

[5] K. Abe *et al.*, (Belle Collaboration), Phys. Rev. Lett. **98**, 082001 (2007).

[6] K. Abe *et al.*, (Belle Collaboration), Phys. Rev. Lett. **100**, 142001 (2008).

[7] R. Mizuk *et al.*, (Belle Collaboration), Phys. Rev. D **78**, 072004 (2008).

[8] T. Aaltonen *et al.*, (CDF Collaboration), arXiv:0903.2229.

[9] E. S. Swanson, Phys. Rep. **429**, 243 (2006).

[10] C. Amsler *et al.*, (Particle Data Group), Phys. Lett. B **667**, 1 (2008).

[11] F. E. Close and P. R. Page, Phys. Lett. B **578**, 119 (2004); M. B. Voloshin, Phys. Lett. B **579**, 316 (2004); C. Y. Wong, Phys. Rev. C **69**, 055202 (2004); E. S. Swanson, Phys. Lett. B **588**, 189 (2004); N. A. Törnqvist, Phys. Lett. B **590**, 209 (2004); E. S. Swanson, Phys. Lett. B **598**, 197 (2004).

[12] X. Liu, X. Q. Zeng, and X. Q. Li, Phys. Rev. D **72**, 054023 (2005); X. Liu, Y. R. Liu, W. Z. Deng, and S. L. Zhu, Phys. Rev. D **77**, 034003 (2008); X. Liu, Y. R. Liu, W. Z. Deng, and S. L. Zhu, Phys. Rev. D **77**, 094015 (2008); X. Liu, Z. G. Luo, Y. R. Liu, and S. L. Zhu, arXiv:0808.0073; X. Liu and S. L. Zhu, arXiv:0903.2529.

[13] J. L. Rosner, Phys. Rev. D **76**, 114002 (2007); C. Meng and K. T. Chao, arXiv:0708.4222; S. H. Lee, A. Mihara, F. S. Navarra, and M. Nielsen, Phys. Lett. B **661**, 28 (2008); C. E. Thomas and F. E. Close, Phys. Rev. D **78**, 034007 (2008).

[14] N. Mahajan, arXiv:0903.3107; T. Branz, T. Gutsche, and V. E. Lyubovitskij, arXiv:0903.5424; G. J. Ding, arXiv:0904.1782.

[15] M. A. Shifman, A. I. Vainshtein, and V. I. Zakharov, Nucl. Phys. **B147**, 385 (1979); **B147**, 448 (1979); V. A. Novikov, M. A. Shifman, A. I. Vainshtein, and V. I. Zakharov, Fortschr. Phys. **32**, 585 (1984).

[16] M. A. Shifman, Vacuum Structure and QCD Sum Rules, North-Holland, Amsterdam 1992.

[17] B. L. Ioffe, in "The spin structure of the nucleon", edited by B. Frois, V. W. Hughes, N. de Groot, World Scientific (1997), arXiv:9511401.

[18] S. Narison, QCD Spectral Sum Rules, World Scientific, Singapore, 1989.

[19] P. Colangelo and A. Khodjamirian, in: M. Shifman (Ed.), At the Frontier of Particle Physics: Handbook of QCD, vol. 3, Boris Ioffe Festschrift, World Scientific, Sigapore, 2001, pp. 1495-1576, arXiv:0010175; A. Khodjamirian, talk given at Continuous Advances in QCD 2002/ARKADYFEST, arXiv:0209166.

[20] Z. G. Wang, arXiv:0903.5200.

[21] R. M. Albuquerque, M. E. Bracco, and M. Nielsen, arXiv:0903.5540.

[22] J. R. Zhang and M. Q. Huang, arXiv:0905.4178.

[23] L. J. Reinders, H. R. Rubinstein, and S. Yazaki, Phys. Rep. **127**, 1 (1985).

[24] L. J. Reinders, H. R. Rubinstein, and S. Yazaki, Nucl. Phys. **B186**, 109 (1981).

[25] R. D. Matheus, S. Narison, M. Nielsen, and J. M. Richard, Phys. Rev. D **75**, 014005 (2007); S. H. Lee, K. Morita, and M. Nielsen, Phys. Rev. D **78**, 076001 (2008); M. E. Bracco, S. H. Lee, M. Nielsen, R. R. daSilva, Phys. Lett. B **671**, 240 (2009); S. H. Lee, K. Morita, and M. Nielsen, Nucl. Phys. A **815**, 29 (2009); R. M. Albuquerque and M. Nielsen, Nucl. Phys. A **815**, 53 (2009).

[26] J. R. Zhang and M. Q. Huang, Phys. Rev. D **77**, 094002 (2008); Phys. Rev. D **78**, 094007 (2008); Phys. Rev. D **78**, 094015 (2008); Phys. Lett. B **674**, 28 (2009).